## AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing of Claims:

## 1-2. (Cancelled)

- 3. (Currently amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritol eligemer, or mixtures thereof, wherein the fatty acid is a mixture containing from about 40% to about 50% by weight of a C<sub>16</sub> fatty acid and from about 45% to about 55% by weight of a C<sub>18</sub> fatty acid, and wherein the <u>said</u> ester <u>mixture</u> contains less than 0.3% by weight <u>of esters containing</u> C<sub>17</sub> fatty acid-containing component <u>acyl groups</u>, and has a melting point of at least 30°C.
- 4. (Currently amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritel eligemer, or mixtures thereof, wherein the fatty acid has 6 to 22 carbon atoms, and wherein the said ester mixture contains less than 0.3% by weight of esters containing C<sub>17</sub> fatty acid-containing component acyl groups, and has a melting point of at least 30°C, with a percentage content of (a) from about 10% to about 25% by weight monoesters, (b) from about 25% to about 40% by weight diesters, and (c) from about 30% to about 45% by weight triesters.
- 5. (Currently amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritol eligemer, or mixtures thereof, wherein the fatty acid has 6 to 22 carbon atoms, and wherein the said ester mixture contains less than 0.3% by weight of esters containing C<sub>17</sub> fatty acid-containing component acyl groups, and has a melting point of at least 30°C, with a percentage content of (a) from about 12% to about 19% by weight monoesters, (b) from about 25% to about 35% by weight diesters, (c) from about 30% to about 40% by weight triesters, and (d) from about 6 to about 11% by weight tetraesters.

6-10. (Cancelled)

- 11. (Currently amended) A cosmetic and/or pharmaceutical composition comprising an ester <u>mixture</u> formed by esterification of pentaerythritol, a pentaerythritol-oligomer, or <u>mixtures</u> thereof with <u>at least one</u> C<sub>6-22</sub> fatty acid[[s]], wherein the <u>said</u> ester <u>mixture</u> contains less than 0.3% by weight <u>of esters containing</u> C<sub>17</sub> fatty acid-containing sempenent acyl groups, and has a melting point of at least 30°C.
- 12. (Currently amended) The composition according to Claim 11, wherein the <u>said</u> ester <u>mixture</u> comprises (a) from about 5 to about 35% by weight monoesters, (b) from about 20 to about 50% by weight diesters, and (c) from about 25 to about 50% by weight triesters.
- 13. (Currently amended) The composition according to Claim 11, wherein the <u>said</u>  $C_{6\cdot22}$  fatty acid is present as a mixture and comprises from about 40% to about 50% by weight of a  $C_{16}$  fatty acid and from about 45% to about 55% by weight of a  $C_{18}$  fatty acid
- 14. (Currently amended) The cosmetic composition according to Claim 11, wherein the <u>said</u> ester <u>mixture</u> is present in a quantity of from about 0.1% to about 20% by weight.
- (Previously Presented) The cosmetic composition according to Claim 11, further comprising a wax component.
- 16. (Currently amended) The cosmetic composition according to Claim 15, wherein the <u>said</u> wax component is selected from the group consisting of C<sub>12-24</sub> fatty alcohols, and C<sub>12-24</sub> partial glycerides <u>and mixtures thereof</u>.
- (Previously Presented) The cosmetic composition according to Claim 11, further comprising at least one nonionic surfactant.

- (Currently amended) The cosmetic composition according to Claim 17, wherein the <u>said</u> nonionic surfactant is selected from the group consisting of alkyl and alkenyl oligoglycosides.
- (Previously Presented) The cosmetic composition according to Claim 11, further comprising at least one oil component which is liquid at 25°C.
- (Currently amended) The cosmetic composition according to Claim 11, comprising:
  - (a) from about 0.1% to about 10% by weight of the said ester mixture:
  - (b) from about 1% to about 25% by weight of at least one oil component which is liquid at 25°C:
  - (c) from about 0.1% to about 5% by weight of a <u>wax component selected from</u> the group <u>consisting of C<sub>12-24</sub></u> fatty alcohol<u>s</u>, [[a]] C<sub>12-14</sub> partial glyceride<u>s</u>, and mixtures thereof:
  - (d) from about 0.5% to about 10% by weight of a C<sub>8-24</sub> alkyl oligoglucoside; and
  - (e) water.
- 21. (Currently amended) A fatty acid ester mixture of pentaerythritol, wherein the fatty acid contains 6 to 22 carbon atoms <u>and is predominantly unbranched</u>, and wherein said ester mixture contains less than 0.3% by weight of <u>esters containing</u> C<sub>17</sub> fatty acid-containing-component <u>acyl groups</u>, and has a melting point of at least 30°C.
- 22. (New) The fatty acid ester mixture of claim 4 wherein said fatty acid comprises a mixture of C<sub>6</sub>-C<sub>22</sub> fatty acids.
- 23. (New) The fatty acid ester mixture of claim 5 wherein said fatty acid comprises a mixture of C<sub>6</sub>-C<sub>22</sub> fatty acids.
- 24. (New) The fatty acid ester mixture of claim 21 wherein said fatty acid comprises a mixture of C<sub>6</sub>-C<sub>22</sub> fatty acids.